

Techsolo B.V. Anholtseweg 38 7091 HB Dinxperlo Tel.: 0031 - 315 - 657 060 Fax: 0031 - 315 - 657 068

info@techsolo.com

TCA-4830 Webcam mit Mikrophon / TCA-4830 Webcam with microphone



Techsolo Europa B.V. | 2006

Produktbeschreibung = Product description E

TCA-4830



Designed by Future

Techsolo B.V. Anholtseweg 38 7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060 Fax: 0031 - 315 - 657 068

info@techsolo.com

TCA-4830 USB Webcam with integrated microphone

2 in 1 webcam

Show yourself!

Chatting on messenger belows to everyday life. Our new TCA-4830 is ideal for this kind of videoconferencing. It creates clear and sharp pictures in a resolution of 800x600. It has an automatic brightness control which automatically regulates your picture according to the lighting around you.

Technical data:

- · USB Webcam with 800x600 resolution
- · CMOS image sensor
- · Automatic brightness balance adjustment
- · Plug&Play
- · With integrated microphone
- · Operating system: Win98SE/ME/2000/XP

Package contnet:

- · Webcam
- · Manual
- · Driver CD
- · guarantee card

Logistic data:

measures: 80x45x45 mm

packing measures: 255x185x65 mm weight: 11 kg per packing unit

packing unit: 30 pcs

packing units per palette: 14 pcs

Disclaimer:

The pictures of the product can be different from the product itself. The court of law is impossible. You don't have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.





Designed by Future

Techsolo B.V. Anholtseweg 38 7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060 Fax: 0031 - 315 - 657 068

info@techsolo.com

TCA-4830 USB 2.0 Webcam mit intergriertem Microfon

2 in 1 Webcam

Zeigt euch!

Mittlerweile gehört der Onlinechat zum Alltag. Die neue TCA-4830 ist hierfür ideal. Sie bietet Scharfe und klare Bilder und eine Auflösung von 800 x 600. Durch die Automatische Helligkeitsanpassung korrigiert Sie im hellen oder im dunklen die Bilder.

Technische Daten:

- · USB Webcam mit einer Auflösung von 800x600
- · CMOS Bildsensor
- · Automatische Helligkeitsanpassung
- · Mit intergriertem Microfon
- · Plug&Play
- · Betriebssystem Windows 98/ME/2000/XP

Lieferumfang:

- · Webcam
- · Garantiekarte
- · Driver CD
- · Bedienungsanleitung

Logistische Daten:

Abmessungen: 80x45x45 mm

Abmessungen Verpackung: 255x185x65 mm

Gewicht: 11 kg pro VPE Verpackungseinheit: 30 Stück

Verpackungseinheiten auf Palette: 14

Disclaimer:

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen.

Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.

